JOURNAL OF PALEONTOLOGY
INDEX TO VOLUME 18

AUTHOR INDEX

		No.	Page
1.	AGNEW, ALLEN F., Addenda and errata to bibliography of Paleozoic ostracodes	(2)	218
2.	BANDY, O. L., Eocene Foraminifera from Cape Blanco, Oregon	(4)	366
3.	BARKER, R. WRIGHT, Some larger Foraminifera from the Lower Cretaceous of Texas	(2)	204
4.	BASSLER, R. S., *Parafavosites* and similar tabulate corals	(1)	42
5.	BERQUIST, HARLAN R., Cretaceous of the Mesabi Iron Range, Minnesota	(1)	1
6.	COLBERT, EDWIN H., Corrections for a "check list of fossil reptiles of New Jersey" by William F. Rapp	(5)	480
7.	COMPTON, ROBERT R., A new Paleocene gastropod from southern California	(5)	464
8.	CONDRA, G. E., and ELIAS, M. K., Occurrence of the Russian genus *Rhombotrypella* in Utah	(2)	148
9.	CONDRA, G. E., and ELIAS, M. K., *Hederella* and *Corynotrypa*	(6)	535
10.	COOPER, CHALMER L., Smaller Foraminifera from the Porters Creek formation (Paleocene) of Illinois	(4)	343
11.	CUSHMAN, J. A., and DEADERICK, W. H., Cretaceous Foraminifera from the Marlbrook marl of Arkansas	(4)	328
12.	CUSHMAN, JOSEPH A., and SIMONSON, RUSSELL R., Foraminifera from the Tumey formation, Fresno County, California	(2)	186
13.	DAVID, LORE R., A Permian shark from the Grand Canyon	(1)	90
	DEADERICK, W. H., see CUSHMAN, J. A. (11)		
14.	DECKER, CHARLES E., Pendent graptolites of Arkansas, Oklahoma and Texas	(4)	378
15.	DENHAM, R. L., Conodonts	(2)	216
16.	EASTON, WM. H., Revision of *Campophyllum* in North America	(2)	119
17.	EASTON, WM. H., Review of "Study and revision of *Archimedes* (Hall)" by G. E. Condra and M. K. Elias	(4)	405
18.	EDWARDS, RICHARD A., Ostracoda from the Dublin marl (upper Miocene) of North Carolina	(6)	505
19.	ELIAS, MAXIM K., Auloporidae and Hederelloidea	(6)	529
	ELIAS, MAXIM K., see CONDRA, G. E. (8, 9)		
20.	ELLISON, SAMUEL, Composition of conodonts	(2)	133
21.	FRANKLIN, E. S., Microfauna from the Carapita formation of Venezuela	(4)	301
22.	FRITZ, MADELEINE A., Upper Devonian Bryozoa from New Mexico	(1)	31
23.	FRITZ, MADELEINE A., The Hull bryozoan *Escharopora hogbeni*	(3)	263
24.	HAAS, OTTO, Hystatoceratidae or Dipoloceratidae?	(1)	94
25.	HAAS, OTTO, "Upper Albian ammonite from . . . New Mexico," a Turonian *Prionocyclus*	(3)	289
	HAAS, OTTO, see VOKES, H. E. (59)		
26.	HOUGH, MARGARET JEAN, The auditory region in some Miocene carnivores	(5)	470
	HOWELL, B. F., see RUEDEMANN, RUDOLPH (41)		
27.	HUDSON, R. G. S., Lower Carboniferous corals of the genera *Rotiphyllum* and *Permia*	(4)	355
28.	KEEN, A. MYRA, Catalogue and revision of the gastropod subfamily Typhinae	(1)	50
29.	KOSANKE, R. M., Review of "An introduction to pollen analysis" by G. Erdtman	(4)	409
30.	LEITH, E. I., *Halysites gracilis* from the Ordovician of Manitoba	(3)	268
31.	MILLER, A. K., and OWEN, JOHN BRITTS, The cephalopod fauna of the Pennsylvanian Union Valley formation of Oklahoma	(5)	417
32.	MILLER, A. K., and UNKLESBAY, A. G., Trilobite genera *Goldius* and *Arctinurus* in the Silurian of Iowa and Illinois	(4)	363
	MILLER, A. K., see THOMPSON, M. L. (58)		
33.	MONSOUR, EDWARD, Fossil corals of the genus *Turbinolia* from the Gulf Coast	(2)	109
34.	NEWELL, NORMAN D., and TAFUR, ISAAC, Fossiliferous Ordovician in lowlands of eastern Peru	(6)	540
35.	NICOL, DAVID, New West American species of the foraminiferal genus *Elphidium*	(2)	172
36.	NICOL, DAVID, Paleocology of three faunules from the Permian Kaibab formation at Flagstaff, Arizona	(6)	553
37.	NICOL, DAVID, Authorship and genotype of *Schizodus*, a Late Paleozoic pelecypod	(6)	558
	OWEN, JOHN BRITTS, see MILLER, A. K. (31)		
38.	RASETTI, FRANCO, Upper Cambrian trilobites from the Lévis conglomerate	(3)	229

39. RICHARDS, HORACE, G., Review of "Eocene of Virginia" by Benjamin Gildersleeve.. (4) 409
40. RAAP, WILLIAM F., JR., Check list of fossil reptiles of New Jersey.....(3, 6) 285
41. RUEDEMANN, RUDOLPH, and HOWELL, B. F., Impression of a worm on the test of a Cambrian trilobite..... (1) 96
42. SCHENCK, HUBERT G., *Lamellinucula*, a new subgenus of nuculoid pelecypods..... (1) 97
43. SCHENCK, HUBERT G., Review of "The bulletin of zoological nomenclature" edited by Francis Hemming..... (2) 220
44. SCHENCK, HUBERT G., Proloculus in Foraminifera..... (3) 275
45. SCOTT, HAROLD W., Permian and Pennsylvanian fresh-water ostracodes..... (2) 141
46. SCOTT, HAROLD W., Muscle-scar patterns on some upper Paleozoic ostracodes..... (2) 162
SIMONSON, RUSSELL R., see CUSHMAN, JOSEPH A. (12)
47. STENZEL, H. B., A new Paleocene catometope crab from Texas, *Tehuacana tehuacana* (6) 546
48. STENZEL, H. B., A new Cretaceous crab, *Graptocarcinus muiri*, from Mexico..... (6) 550
49. STEPHENSON, MORTON B., New Ostracoda from subsurface Middle Tertiary strata of Texas..... (2) 156
50. STEPHENSON, MORTON B., Ostracoda from the Reklaw Eocene of Bastrop County, Texas..... (5) 448
51. STEPHENSON, MORTON B., Reklaw Ostracoda, a correction..... (6) 560
52. STIRTON, R. A., A rhinoceros tooth from the Clarno Eocene of Oregon..... (3) 265
TAFUR, ISAAC, see NEWELL, NORMAN D. (34)
53. TAPPAN, HELEN, New names for two foraminiferal homonyms..... (6) 560
54. TEICHERT, CURT, The genus *Aturia* in the Tertiary of Australia..... (1) 73
55. TEICHERT, CURT, Two new ammonoids from the Permian of Western Australia.... (1) 83
56. TEICHERT, CURT, Permian trilobites from Western Australia..... (5) 455
57. THALMANN, HANS E., Bibliography and index to new genera, species and varieties of Foraminifera for the year 1941..... (4) 387
58. THOMPSON, M. L., and MILLER, A. K., The Permian of southern-most Mexico and its fusulinid faunas..... (6) 481
UNKLESBAY, A. J., see MILLER, A. K. (32)
59. VOKES, H. E., and HAAS, OTTO, South American and European species of *Spondylospira*..... (3) 283
60. WELLER, J. MARVIN, Review of "Stratigraphy of the eastern and central United States" by Charles Schuchert..... (2) 220
61. WELLER, J. MARVIN, Permian trilobite genera..... (4) 320
62. WELLER, J. MARVIN, Review of "Review of petroleum geology in 1943" by F. M. Van Tuyl and others..... (4) 410
63. WELLS, JOHN W., A new coral from the Buda limestone (Cenomanian) of Texas... (1) 100
64. WELLS, JOHN W., New tabulate corals from the Pennsylvanian of Texas..... (3) 259
65. WELLS, JOHN W., Cretaceous, Tertiary and Recent corals, a sponge, and an alga from Venezuela..... (5) 429
66. WHITMORE, FRANK C., JR., Machine for serial sectioning of fossils..... (2) 210
67. WILSON, JOHN ANDREW, An *Amebelodon* from Malheur County, Oregon..... (3) 271
68. YEN, TENG-CHIEN, Notes on fresh-water mollusks of Idaho formation at Hammett, Idaho..... (1) 101

SUBJECT INDEX

Ammonites: Australian Permian (55); Cretaceous (25); Hystaloceratidae or Diploceratidae? (24).
Algae: Cretaceous from Venezuela (65).
Arkansas: Cretaceous Foraminifera (11); Ordovician graptolites (14).
Arizona: Permian paleoecology (36); Permian shark (13).
Australia: Permian ammonite (55); Permian trilobites (56); Tertiary cephalopod (54).
Brachiopods: *Spondylospira* of South America and Europe (59).
Bryozoans: Auloporidae and Hederelloidea (19); Devonian from New Mexico (22); *Hederella* and *Corynotrypa* (9); *Rhombotrypella* in Utah (8); Trenton of Quebec (23).
California: Eocene Foraminifera (12); Paleocene gastropod (7).
Cambrian: Trilobites (38); worm impression (41).
Carboniferous: Corals from England (27).
Cephalopods: Australian Tertiary (54); Permian of Oklahoma (31).
Conodonts: Composition (20); relationship (15).
Corals: Cenomanian of Texas (63); Gulf Coast Tertiary (33); Lower Carboniferous of England (27); Ordovician of Manitoba (30); Pennsylvanian of Texas (64); revision of *Campophyllum* (16); Silurian (4); Tertiary and Recent from Venezuela (65).
Cretaceous: Coral from Texas (63); crab from Mexico (48); fauna in Minnesota (5); Foraminifera from Arkansas (11); Foraminifera from Texas (3); sponge and alga from Venezuela (65); Turonian ammonite (25).
Crustaceans: Cretaceous crab (48); Paleocene crab (47).

Devonian: Bryozoa from New Mexico (22).
England: Lower Carboniferous corals (27).
Eocene: Foraminifera from Oregon (2); Ostracoda from Texas (50); rhinoceros tooth from Oregon (52).
Europe: Species of *Spondylospira* (59).
Foraminifera: Bibliography for 1941 (57); Cretaceous of Arkansas (11); Cretaceous of Texas (3); *Elphidium* (35); Eocene of Oregon (2); new names (53); Oligocene of California (12); Oligocene from Venezuela (21); Paleocene of Illinois (10); proloculus (44).
Fusulines: Permian of Mexico (58).
Gastropods: Idaho formation (68); Paleocene of California (7); subfamily Typhinae (28).
Graptolites: Ordovician of Arkansas, Oklahoma and Texas (14).
Idaho: Fresh-water mollusks (68).
Illinois: Paleocene Foraminifera (10); Silurian trilobites (32).
Iowa: Silurian trilobites (32).
Jurassic: *Spondylospira* of South America and Europe (59).
Manitoba: Ordovician corals (30).
Members: Paleontological Society (3) 290; Society of Economic Paleontologists and Mineralogists (2) 222.
Mexico: Cretaceous crab (48); Permian fusulines (58).
Minnesota: Cretaceous fauna (5).
Miocene: Carnivores (26); Ostracoda from North Carolina (18).
New Mexico: Devonian bryozoa (22).
North Carolina: Miocene Ostracoda (18).
Oklahoma: Ordovician graptolites (14); Pennsylvanian cephalopods (31).
Oligocene: California Foraminifera (12); Foraminifera from Venezuela (21).
Oregon: Eocene Foraminifera (2); Eocene rhinoceros tooth (52); Pliocene *Amebelodon* (67).
Ordovician: Bryozoan of Quebec (23); corals of Manitoba (30); fossils from Peru (34); graptolites from Arkansas, Oklahoma and Texas (14).
Ostracodes: Bibliography (1); Eocene (51); Eocene of Texas (50); fresh-water from Permian and Pennsylvanian (45); Miocene of North Carolina (18); muscle-scar patterns (46); Tertiary of Texas (49).
Paleocene: Crab from Texas (47); Foraminifera from Illinois (10); gastropod from California (7).
Paleoecology: Permian of Arizona (36).
Pelecypods: *Lamellinucula* (42); *Schizodus* (37).
Pleistocene: Foraminifera (35).
Pliocene: *Amebelodon* from Oregon (67).
Pennsylvanian: Bryozoans (9); cephalopods from Oklahoma (31); corals of Texas (64); fresh-water ostracodes (45); ostracode muscle scars (46).
Permian: Ammonite from Australia (55); fresh-water ostracodes (45); Permian fusulines of Mexico (58); ostracode muscle scars (46); paleoecology (36); shark from Arizona (13); trilobites (61); trilobites from Australia (56).
Quebec: Trenton bryozoan (23); Upper Cambrian trilobites (38).
Recent: Corals from Venezuela (65); Foraminifera (35).
Siberia: Silurian corals (4).
Silurian: Tabulate corals (4); trilobites of Iowa and Illinois (32).
Society records and activities (S.E.P.M.), page 411.
South America: Cretaceous, Tertiary and Recent corals, a sponge, and alga from Venezuela (65); Foraminifera from Venezuela (21); fossiliferous Ordovician of eastern Peru (34); species of *Spondylospira* (59).
Sponges: Cretaceous of Venezuela (65).
Tertiary: Cephalopod *Aturia* (54); corals from Gulf Coast (33); corals from Venezuela (65); Ostracoda from Texas (49).
Texas: Cenomanian coral (63); Cretaceous Foraminifera (3); Eocene Ostracoda (50); Ordovician graptolites (14); Paleocene crab (47); Pennsylvanian corals (64); Tertiary Ostracoda (49).
Trilobites: Permian of Australia (56); Permian genera (61); Silurian of Iowa and Illinois (32); Upper Cambrian (38).
Utah: *Rhombotrypella* (8).
Vermes: Cambrian (41).
Vertebrates: Eocene rhinoceros tooth (52); fossil reptiles of New Jersey (40); Miocene carnivores (26); Permian shark (13); Pliocene *Amebelodon* from Oregon (67).